

# ECX COMPACT

## UV TRANSILLUMINATOR

### THE UV STANDARD

The ECX transilluminator is both compact and economical for laboratories with budget in mind.

The fully adjustable UV safety screen can be positioned to suit the operator's viewing angle against exposure to harmful UV rays.

The High/Low intensity selection is ideal to switch from short gel visualization to longer preparative work.

### KEY FEATURES

- UV Master® technology
- Stainless steel frame
- Adjustable UV safety screen
- Ondulex® reflector for higher UV output
- Unlimited filter life expectancy for 312 and 365nm
- Adjustable dual intensity selector (100%-70%)
- 100/115/230 volt, 50/60 Hz



ECX transilluminators

### SPECIFICATIONS

Models	Description	nm	Filter (mm)	Tubes	Intensity ( $\mu\text{W}/\text{cm}^2$ )
ECX-F15.M	High / Low intensity	312	150 x 150	6 x 8-watt	10 000
ECX-F15.C	High / Low intensity	254	150 x 150	6 x 8-watt	7 000
ECX-F20.M	High / Low intensity	312	200 x 200	6 x 8-watt	10 000
ECX-F20.C	High / Low intensity	254	200 x 200	6 x 8-watt	7 000
ECX-F20.L	High / Low intensity	365	200 x 200	6 x 8-watt	7 000
ECX-F26.M	High / Low intensity	312	210 x 260	6 x 8-watt	10 000
ECX-F26.C	High / Low intensity	254	210 x 260	6 x 8-watt	7 000